

## Contents

- 1. Geomorphology : An Introduction 1–18**  
Definitions : Scope of Geomorphology; Methods and Approaches to the Study of Landforms; Methods of Geomorphic Analysis; The Systems Concept; Geomorphic models; Evolution of Geomorphic Ideas; Post-1950 Trends in Geomorphology; Indian Contributions to Geomor-phology.
- 2. Fundamental Concepts 19–32**  
The Principle of Uniformitarianism; The Control of Geological Structure in the Evolution of Landforms; Geomorphic Processes Produce Typical Landforms; Erosional Agents Produce an Orderly Sequence of Landforms; Complexity of Geomorphic Evolution; Landscape is a Function of Time and Space; Landscape is the Function of Process, Material and Change through Time; Little of the Earth's topography is Older than Tertiary; Each Climatic Type Produces Characteristic Assemblage of Landforms; Plate Tectonics Theory : A New Dimension in Landscape Evolution.
- 3. Landform Development 33–49**  
Reconstructing Landform Development; Cyclic and Non-Cyclic Development; Major Theories of Landforms Evolution : W.M. Davis; W. Penck, Other Concepts of Sequential Development, L.C. King; Dynamic Equilibrium Theory of J.T. Hack; Tectono-Geomorphic Model of M. Morisawa.
- 4. Climatic Geomorphology and Morphogenetic Regions 50–65**  
Diagnostic Landforms; Geomorphic Processes and Climatic Controls; Role of Vegetation and Soils; Climatic Changes and Landforms; Morphogenetic Regions; Climate-Process-Landform Approach.
- 5. The Earth's Interior 66–74**  
Early Estimates; Evidences about the Interior : Based on Temperature, Density, Pressure, Volcanicity, Seismology; Seismic Discontinuities; Seismic Tomography; Layers of the Earth.
- 6. Origin of Continents and Ocean Basins 75–95**  
Characteristics of Distribution of Land and Water; Permanency of Continents and Ocean Basins; Evidences of Permanency of Continents; Evidences of Continental Drift; Theories of the Origin of the Continents and Oceans : Theories Based on Contraction : Tetrahedral Theory of Lothian Green, Lapworth and Love's Theory Based on Warping, Jeans and Sollas Theory Based on the Origin of the Moon, Daly's Theory of Sliding Continents;

Gregory's Concept of Land Bridges; Continental Drift Theories : F.B. Taylor's Continental Drift Theory; Wegener's Theory of Continental Drift; Joly's Thermal Cycle Theory Based on Radio-activity and Earth's History; Holmes' Convection Current Theory; Recent Views : Palaeo-magnetism and Continental Drift; Sea-floor Spreading, Plate Tectonics.

**7. Isostasy 96–101**

Meaning and Definitions; Development of the Doctrine; Various Concepts of Isostasy : Pratt's, Airy's, Hayford's and Bowie's, Joly's; Holmes' Views, Heiskanen's; Isostatic Adjustment over the Earth's Surface.

**8. Rocks 102–116**

The Crust; Minerals. Rocks; Classification of Rocks : Igneous, Sedimentary, Metamorphic Rocks, The Cycle of Rock Change.

**9. Earth Movements 117–129**

Endogenetic Movements; Diastrophism : Epeirogenetic Movements; Orogenetic Movements; Broad Warps; Folds; Faults; Joints.

**10. Structural Geomorphology 130–142**

Folded Structure and Landforms; Topographic Expressions of Domal Structure; Topographic Expressions of Fault Structure; Geomorphic Expressions of Uniclinal (Homoclinal) Structure.

**11. Plate Tectonics 143–161**

Meaning and Concept; Division of Crust into Plates; Global System of Lithospheric Plates; Plate Margins; Evidences of Plate Tectonics : Palaeomagnetism; Source of Geomagnetic Field; Remanent Magnetism, Reconstruction of Palaeomagnetism; Reversal of Polarity; Sea Floor Spreading; Plate Motion; Causes of Plate Motion; Application of Plate Tectonics Theory to : Continental Drift, Mountain Building; Volcanicity, Earthquakes; Tsunamis.

**12. Volcanicity and Earthquakes 162–185**

Classification of Volcanoes; Ejected Materials; Geographic Distribution of Volcanoes; Causes of Volcanism; Volcanicity and Products : Exhalative Activity, Effusive Activity, Explosive Activity; Volcanic Landforms : Elevated Landforms; Depressed Forms; Intrusive Topography, Minor Features; Hot-spots and Mantle Plumes; Life Cycle of a Hot-spot Volcano; Earthquakes—Definitions, Origin of an Earthquake; Causes of Earthquakes; Classification of Earthquakes; Distribution of Earthquakes; Magnitude of Earthquakes; Earthquake Zones in India; Effects of Earthquakes.

**13. Mountain Building 186–205**

Classification of Mountains; Characteristics of Folded Mountains; Geosynclines; Evolution of the Concept; Phases of Mountain Building; Theories of Mountain Building; Views of Suess and Argand; Kober's Geosynclinal Orogen

Theory, Thermal Contraction Theory of Jeffreys; Joly's Thermal Cyclic Theory Based on Radio-activity; Daly's Theory of Sliding Continents; Convection Current Theory of Holmes; Plate Tectonics and Mountain Building.

**14. Weathering and Mass Wasting** **206–227**

Definitions; Controlling Factors of Weathering; Weathering Processes (Types): Mechanical Weathering, Chemical Weathering, Biological Weathering; Geomorphic Significance of Weathering; Mass Wasting : Meaning and Definitions; Factors Affecting Mass Wasting; Classification of Mass Wasting; Description of Mass Wasting : Creep, Rapid Flow, Slide (Land Slide), Fall; Induced Mass Wasting; Geomorphic Significance of Mass Wasting.

**15. Hill Slope Development** **228–250**

Definition; Measurement and Description of Slopes; Slope-Elements; Classification of Slopes; Hill-Slope Processes and Erosion; Controls on Slope Processes; Approaches to Slope Studies : Slope Evolution Approach, Process-Form Approach; Theories of Slope Evolution; Slope Decline Theory of W.M. Davis; Slope Replacement Theory of W. Penck, A. Wood's Model of Slope Evolution, Parallel Retreat Theory of L.C. King; Concept of R.A. Savigear, Concept of A.N. Strahler, Fisher-Lehman Model of Slope Evolution, Process-Response Model of A. Young.

**16. Cycle of Erosion** **251–261**

The Concept; Davisian Cycle of Erosion; Penck's Morphological System; Normal Cycle of Erosion; Interruptions in Cycle of Erosion; Rejuvenation : Dynamic, Eustatic, Static; Topographic Expressions of Rejuvenation (Poly-Cyclic Landscapes).

**17. Denudation Chronology, Erosion Surfaces and Peneplains** **262–275**

Denudation Chronology : Meaning and Concept; Denudation Chronology of Peninsular India; The Physical Set-up Peninsular India; Geological Structure; Land Development; Erosion Surfaces; Meaning; Identification of Erosion Surfaces; Dating of Erosion Surfaces, Peneplain : Evolution of the Concept; Arguments For the Peneplain Concept; Arguments Against the Peneplain Concept; Characteristic Features of Peneplains; Types of Peneplain; Topographic Surfaces Confused with Peneplains.

**18. Drainage Systems and Patterns** **276–287**

Meaning; Major Drainage Systems; Sequent Drainage Systems : Consequent, Subsequent, Obsequent, Resequent; Insequent Drainage System; Insequent Drainage System; Antecedent, Superimposed; Drainage Patterns; Types of Drainage Patterns : Dendritic, Trellis, Parallel, Radial, Centripetal, Annular, Rectangular, Barbed, Pinnate, Herringbone (Rib Pattern), Deranged; River Capture : Ideal Conditions, Mechanism, Examples.

**19. Drainage Basins** **288–299**

Evolution of the Concept; Hydrological Cycle of the Drainage Basin; Basin Morphometry; Linear Aspects of the Basin : Stream Ordering, Bifurcation Ratio, Law of Stream Numbers, Length Ratio and Law of Stream Length, Sinuosity Indices, Meandering Properties, Length of Overland Flow, Stream Junction Angles; Areal Aspects of the Basin : Geometry of Basin Shape, Law of Basin Perimeter, Basin Length and Basin Area, Area Ratio, Law of Basin Area, Law of Allometric Growth, Stream Frequency, Drainage Density, Drainage Texture; Relief Aspects of the Basin : Hypsometric Analysis, Clinographic Analysis, Altimetric Analysis, Average Slope, Relative Reliefs, Dissection Index, Law of Channel Slope, Profile Analysis.

**20. River Valley Development** **300–308**

Valley Development : Valley Deepening, Valley Widening, Valley Lengthening; Classification of Valleys; Classification According to Stage in Geomorphic Cycle; Genetic Classification, Classification According to Controlling Structures, Classification on the Basis of Structural Trends, Classification According to Change of Base Level; Grading of Rivers : Base Level; Concept of Grade; Controlling Factors of the Graded River; Grading of River Channels and Profile of Equilibrium; Longitudinal Profile and the Graded Curve; Interrupted Profile and Regraded Curve; Cross Profiles of Valleys.

**21. Channel Morphology** **309–322**

Channel Geometry or Form; Hydraulic Geometry; Downstream Variations in Channel Forms; Sediment Load and Hydraulic Geometry; Channel Bed Topography; Channel Types; Channel Patterns : Straight Channels; Meandering Channels, Braided Channels, Anastomosing Channels.

**22. Fluvial Processes and Landforms** **323–343**

The Work of Rivers : Erosional Work of Rivers; Processes of Fluvial Erosion; Transportation by Rivers; Depositional Work of a River; Landforms Produced by Rivers; Erosional Landforms : River Valleys, Potholes, Waterfalls, Rapids, Interlocking Spurs, Structural Benches, River Terraces, Meanders and Oxbow Lakes, Incised Meanders, Peneplains; Depositional Landforms : Alluvial Fans and Cones, Flood Plains, Natural Levees, Delta—Ideal Conditions for Formation, Structure, Growth, Classification, Major Deltas of Indian Rivers.

**23. Karst Landscapes** **344–361**

Meaning and Definitions; Factors of Full Development of Karst; Karst Processes; Climatic Control of Karst Processes; Karst Hydro-geology; Regional and Temporal Significance of Karst; Distribution of Karst : Major Karst, Minor Karst Landforms, Major Karst Landforms : Terra Rosa, Lapies, Sinkholes and Associated Forms—Dolines, Uvalas, Polje, Other Features of a Karst Plain : Sinking Creeks, Karst Valley, Rise or Resurgence, Sub-Terranean

Cut off, Natural Tunnels and Bridges; Residual Karst, Relict Karst and Palaeo-Karst; Caverns and Speleology; Speleothem and Other Cave Deposits; Karst Geomorphic Cycle; Chalk Landscape.

**24. Arid and Semi-Arid Landscapes : Eolian Processes and Land Forms 362–384**

Characteristics of Arid Regions (Deserts); Types of Deserts; Major Landforms of Arid Regions : Bolson, Playa, Desert Pavements, Bajadas, Pediments; Landforms; Arid Cycle of Erosion; Savanna Cycle of Erosion; Eolian Processes and Landforms; Erosional Work of Wind; Erosional Landforms : Deflation Hollows (Blow Outs), Desert Pavements, Ventifacts, Pedestal Rocks, Yardang, Zeugen; Depositional Work of Wind, Depositional Landforms; Ripples, Sand Ridges, Large Scale Forms—Sand Shadows and Sand Drifts, Sand Sheets, Sand Levees or Whale-backs, Sand Dunes, Sand Seas or Ergs; Dust and Loess Deposits.

**25. Periglacial Processes and Landforms 385–398**

Meaning; Periglacial Areas; Periglacial Processes : Freezing and Thawing, Frost Heaving, Gelifluction and Frost Creep, Nivation; Fluvial Erosion; Erosional Processes; Periglacial Landforms; Major Landforms : Periglacial Valleys, Cryoplanation Terraces and Cryo Pediments, Block fields, Rock Streams and Rock Glaciers; Minor Landforms : Patterned Ground; Frost Mounds; Palsas and Pingos; Thermo-Karst; Relict Periglacial Landforms; Periglacial Cycle of Erosion : Youth, Maturity, Old Stage.

**26. Glacial Processes and Landforms 399–431**

Development of Glaciers; A Glacier as a Flow System of Matter and Energy; Types of Glaciers : Mountain or Valley Glaciers, Piedmont Glaciers, Continental Glaciers; Thermal Classification of Glaciers; Glacial Movement; Glacial Surges, Crevasse; Mechanism of Glacial Action : Erosion; Erosional Landforms : Small Features : Striations, Polished Surfaces, Grooves, Friction Creeks, Glacier Mills or Moulins; Large Scale Features : Nivation Hollows and Cirques, Arete, Horn, Col, Glacial Troughs and Associated Features, Glacial Steps, Rock Basins, Truncated Spurs, Hanging Valleys; Fjords, Streamlined Features : Whale backs, Drumlins, Roches Moutonnees, Crag and Tail, Nunataks; Transportation; Deposition; Glacial Drift; Till, Stratified Drift, Outwash, Glacio-Lacustrine Sediment, Eolian Sediment, Glacio-Marine Sediment; Depositional Landforms : Moraines, Till Plain, Drumlins; Fluvio-Glacial Landforms : Eskers, Kames, Valley Train and Outwash Plain, Glacio-Lacustrine Features; Lacustrine Features.

**27. Coastal Processes and Landforms 432–462**

Coastal System; Coastal Environment; Energies of Shore-zone Processes; Origin of a Wave; Wave Structure; Types of Waves : Wind Waves Approaching Shore, Types of Breaker, Wave Refraction; Long-shore Current; Wave Reflection; Wave Diffracton; Processes of Marine Erosion; Weathering

Processes, Erosional Landforms : Sea Cliffs, Wave-Cut Platform or Bench, Minor Erosional Landforms; Depositional Landforms : Beaches, Sand Bars, Barriers and Associated Features, Barrier Islands, Lagoons and Mud Flats, Spits, Hook, Connecting Bars and Tombolos Cuspate Foreland; Classification of Coasts and Shorelines; Johnson's Classification, Valentin's Classification, Shepard's Classification, Classification of Coasts by Inman and Nordstrom; Classification of Shorelines of India; Classification of Indian Coastline, Marine Cycle of Erosion; Marine Cycle Along a Shoreline of Submergence, Cycle of Erosion on Shoreline of Emergence.

**28. Regional Geomorphology 4463–492**

The Himalayas; Kumaun Himalayas, The Great Plains; The Ganga Plains; The Peninsular Plateau; The Chhotanagpur Plateau; The Ranchi Plateau.

**29. Anthropogenic Geomorphology 493–513**

Historical Perspective; Man and Environment: Global Climatic Change, Carbon Cycle, Biodiversity, Pollution, Extreme Events; Man's Impact on Environmental Processes; Man and Atmospheric Processes; Global Warming and Greenhouse Effect, Urbanization and Climate; Man and Subsurface Processes; Man and Pedological Processes, Sedimentation; Man and Weathering and Mass Movement Processes, Scarification of Land; Man and Periglacial Processes; Man and Fluvial Processes; Urbanization and Stream flow, River floods, Lakes, Groundwater; Man and Coastal Processes—Modification of Coastal Processes; Man and Biogeochemical Cycles; Man and Biogeographical Processes.

**30. Applied Geomorphology 514–529**

Historical Background of Applied Geomorphology; Resource Evaluation and Planning; Geomorphology and Agriculture; Geomorphology and Transportation; Geomorphology and Exploration of Minerals; Geomorphology and Petroleum Exploration; Geomorphology and Engineering Projects; Dams, Reservoirs and River Regulations, Location of Sand and Gravels; Geomorphology and Hydrology; Geomorphology and Coastal Zone Management; Terrain Classification and its Applications; Land Systems Approach, Parametric Approach, Military Use, Engineering, Agriculture, Forestry and Land Use, Regional Planning.

**Suggested Readings 530–567**

---

## List of Maps and Diagrams

- Fig. 2.1 : The effect of varying geologic structure and lithology on morphology of landscapes. (—after A.N. Strahler)
- Fig. 2.2 : Development of trellis drainage and cuesta on uniclinal/homoclinal strata of coastal plain
- Fig. 2.3 : Time scales : (A) Cyclic time (B) Graded time (C) Steady time
- Fig. 3.1 : Graphical presentation of geographical cycle presented by W.M. Davis
- Fig. 3.2 : Graphical presentation of Penck's model of landform development
- Fig. 3.3 : Models of landform development
- Fig. 3.4 : Landform development on horizontal rocks according to dynamic equilibrium theory of Hack
- Fig. 3.5 : Schumm's model of cycle of erosion A—dotted line denotes progressive lowering of altitude as envisaged by Davis while solid lines indicate stepped up features as suggested by Schumm, B—Portion of valley floor, C—Portion of valley floor VF2 (as shown in B) which indicates dynamic equilibrium period between two periods of instability of shorter duration. (—after S.A. Schumm, 1975)
- Fig. 4.1 : Inselbergs
- Fig. 4.2 : Mode of formation of core stones
- Fig. 4.3 : A Chemical weathering B. Physical weathering in relation to mean annual temperature and rainfall
- Fig. 4.4 : Weathering regions in relation to varying combinations of mean annual rainfall and temperature (—after L.C. Peltier, 1950)
- Fig. 4.5 : Depth and character of weathering in relation of latitude (—adapted from Strakhov, 1967)
- Fig. 4.6 : A : Nature of Mass movements; B : pluvial erosion, C : Wind action in different climatic conditions (—after L.C. Peltier, 1950)
- Fig. 4.7 : Morphogenetic regions according to L.C. Peltier (1950)
- Fig. 5.1 : Evidence based on density.
- Fig. 5.2 : Seismic waves in a homogeneous planet, following linear paths
- Fig. 5.3 : Seismic waves in a differentiated planet, following curved paths
- Fig. 5.4 : A P-wave shadow zone, occurring in the area between  $103^{\circ}$ - $143^{\circ}$  from an earthquake's focus
- Fig. 5.5 : P-waves are deflected by the inner core and are received in the shadow zone as weak signals, this deflection suggests that the inner core is solid (—after W.K. Hamblin and E.H. Christiansen)
- Fig. 5.6 : The internal structure of the earth as deduced from variations in the velocities of seismic waves at depth
- Fig. 5.7 : The crust of the earth : the Moho-discontinuity
- Fig. 5.8 : Position of the andesite line in the south western Pacific Ocean
- Fig. 5.9 : A schematic section through the earth
- Fig. 6.1 : Land and Water Hemispheres.
- Fig. 6.2 : Triangular shaped continents.
- Fig. 6.3 : A—Tetrahedron placed on a sphere, B—Distribution of land and water on a tetrahedron

- Fig. 6.4 : The pear shaped earth and the distribution of oceans and continents, according to Jeans
- Fig. 6.5 : The slide (sinking) of dome
- Fig. 6.6 : Land bridges between Continents
- Fig. 6.7 : (a) The World map—340 million years ago (b) The drifted continents, according to Snider
- Fig. 6.8 : Disruption of Pangaea and drifting of Continents according to Wegener
- Fig. 6.9 : Fitting of Atlantic coastal lands
- Fig. 6.10 : Evidence of Palaeozoic and Mesozoic fossils of plants and animals
- Fig. 6.11 : Orogenies on the coasts of continents
- Fig. 6.12 : Distribution of Palaeozoic glacial deposits
- Fig. 6.13 : Transgression of seas and deposition of sediments
- Fig. 6.14 : Formation of Convection Currents
- Fig. 6.15 : Distribution of Plates
- Fig. 6.16 : Divergent tectonics
- Fig. 6.17 : Convergent Tectonics
- Fig. 6.18 : Transcurrent Tectonics
- Fig. 6.19 : Evolution of continents and ocean basins since Permian period (—after Dietz and Holden, 1973) depicts the probable situation of the continents and ocean basins during the various past geological periods.
- Fig. 7.1 : Level of compensation and blocks of different metals according to Pratt
- Fig. 7.2 : Different blocks of metals sinking to different depths according to Airy
- Fig. 7.3 : Isostasy according to Hayford and Bowie
- Fig. 7.4 : Level of compensation according to Joly
- Fig. 7.5 : Isostatic equilibrium according to Holmes
- Fig. 7.6 : Isostatic adjustment of the Crust in three stages : (a) The mountain mass slowly sinks displacing mantle material. (b) Due to the loss of mass by erosion and transportation, the crust isostatically adjusts upward and sediments accumulate in the ocean. (c) The continents thin, the heavy sediment load begins to deform the lithosphere beneath the ocean
- Fig. 8.1 : Types of Intrusive Igneous rocks
- Fig. 8.2 : Formation of sedimentary rocks
- Fig. 8.3 : The cycle of rock change
- Fig. 8.4 : Flow of energy that drives the cycle of rock change
- Fig. 9.1 : Types of Tectonic stress
- Fig. 9.2 : Dip and strike
- Fig. 9.3 : Geanticline and geosyncline
- Fig. 9.4 : Synclines and anticlines and other features associated with folding
- Fig. 9.5 : Components of a fold AP : axial plane, a'b : limb of a fold, c : crest on one bed, c' : crest on another bed, cc' : crestal plane, t-trough on one bed, t' trough on another bed, tt'-trough plane.
- Fig. 9.6 : Types of fold
- Fig. 9.7 : A—Closed, B—Open and C—drag folds
- Fig. 9.8 : A—Similar folding, B—Parallel folding
- Fig. 9.9 : Anticlinorium and Synclinorium



- Fig. 9.10 : Nappe
- Fig. 9.11 : Parts of a simple fault
- Fig. 9.12 : Types of faults (a) Normal fault, (b) Reverse fault, (c) Strike slip fault, (d) Parallel fault, (e) Step fault
- Fig. 9.13 : (G) Graben and (H) Horst
- Fig. 9.14 : East African Rift Valley
- Fig. 9.15 : Cross Section of the Rhine rift valley
- Fig. 9.16 : Joints A—Dip joints, (D) Strike joints, (S) Diagonal joints, (Di), Bedding joint (B), B—Columnar joints
- Fig. 10.1 : Stages of inversion of relief
- Fig. 10.2 : Development of fluvial cycle of erosion on folded structure (—after Von Engeln)
- Fig. 10.3 : Morphological features on anticlines and synclines of folded structure due to fluvial erosion
- Fig. 10.4 : Development of erosional landforms over domed structure
- Fig. 10.5 : Stages of development of fluvial cycle of erosion on domal structure A = Initial; B = Youth; C = Maturity; D = Old stage
- Fig. 10.6 : Development of different types of fault line scarps (A) A-B = normal or original fault scarp; (B) s1, s2, s3, s4 = segments of scarp faces; (C) opposed or reversed fault-line scarp (—after J. Tricart, 1974)
- Fig. 10.7 : Stages in the formation of composite fault line scarps (—after Cotton) (A) formation of original scarp, (B) Obliteration of fault scarp due to erosion, (C) formation of resequent fault line scarp due to renewed erosion, (D) formation of fault scarp due to further faulting
- Fig. 10.8 : Stages in the formation of resurrected fault-line scarp : (A) Formation of original fault scarp; (B) Fault scarp buried under eroded materials; (C) Reappearance of fault scarp due to removal of deposited materials
- Fig. 10.9 : Stages leading to the inversion of topography upon a graben. A : Formation of a graben by faulting; B : Destruction by erosion of the faulted topography; C : Renewal of erosion due to uplift; D : Development of an obsequent rift block mountain at the site of graben
- Fig. 10.10 : Stages in the evolution of coastal plain A. Initial stage, B. Mature stage, C. Late mature or stage. (—after A.N. Strahler)
- Fig. 10.11 : Transition from a hogback through a homoclinal ridge and cuesta to a mesa
- Fig. 10.12 : Development of structurally controlled streams on dipping strata (—after C.D. Ollier, 1981)
- Fig. 10.13 : Development of asymmetrical drainage on homoclinal strata and homoclinal shifting of ridges crests and valleys (—after A.L. Bloom, 1978)
- Fig. 11.1 : Division of the crust into plates, and types of plate margins
- Fig. 11.2 : Arrangement of lithospheric plates. Schematic circular cross section of the major plates on a great circle tilted about 30 degrees with respect to the equator. (—after A.N. Strahler)
- Fig. 11.3 : Types of plate margins
- Fig. 11.4 : Magnetic declination
- Fig. 11.5 : Geographical and geomagnetic poles
- Fig. 11.6 : Changes in magnetic inclination and declination at Paris (1540-1950 A.D.)
- Fig. 11.7 : Polar wandering curves
- Fig. 11.8 : Normal and Reverse polarity
- Fig. 11.9 : Patterns of positive magnetic anomalies off the coast of Sanfrancisco

- Fig. 11.10 : Plate motion based on Euler's geometrical theorem ABE represents the earlier contiguous landmass which has been split into two blocks-ABC and ADE; A represents pole of rotation which is also contact point for separated ABC and ADE blocks; Solid lines indicate small circle paths or 'lines of latitude' about the pole of rotation (A), Broken lines show latitudes and longitudes, N-S denotes geographical north and south pole, ps and qr represent sides of the re-entrant. These sides represent conservative plate margins. (—after E.R. Oxburgh, 1979)
- Fig. 11.11 : Mantle flow system and heat exchange (—after A.N. Strahler)
- Fig. 11.12 : The Wilson Cycle. (—after A.N. Strahler)
- Fig. 11.13 : Super continent cycle (—after A.N. Strahler)
- Fig. 11.14 : Plate tectonics and orogenesis—(a) oceanic-continental type, (b) oceanic-oceanic type, (c) continental-continental type
- Fig. 11.15 : Origin of the Himalayas according to Plate tectonics
- Fig. 11.16 : Origin of volcanoes according to plate tectonics
- Fig. 11.17 : Origin of volcanic islands and island arcs
- Fig. 11.18 : Relationship between earth quakes and plate boundaries (—after F. Press and R. Seiver, 1978)
- Fig. 12.1 : Various types of Volcanic eruptions. A—Strambolian, B—Vulcanian, C—Vesuvian, D—Pelean, E—Plinian, F—Hawaiian, G—Iceland
- Fig. 12.2 : Distribution of Volcanoes in the World
- Fig. 12.3 : Plate tectonics and vulcanicity
- Fig. 12.4 : Types of cones, domes, necks, plugs
- Fig. 12.5 : Collapse Caldera of the Krakatoa type (A) Mild explosion of pumice. (B) Violent explosions : part of pyroclastic material is thrown into air, part rushes down slopes as nuees ardentes. (C) collapse of the top of the cone. (D) Renewed volcanic activity. (—After H. Williams, 1946)
- Fig. 12.6 : Evolution of a Resurgent Caldera : Valles caldera, New Mexico (a) Upward pressure by magma, formation of ring fractures, and eruption of tuff, (b) Major eruption of pumices, (c) collapse, (d) Minor volcanism and sedimentation, (e) Resurgent doming, (f) Eruption of domes along ring fracture. (—After R.L. Smith and R.A. Bailey)
- Fig. 12.7 : Explosive caldera
- Fig. 12.8 : Lava Plateaus
- Fig. 12.9 : Geysers and fumaroles
- Fig. 12.10 : Distribution of Hot Spots in the World
- Fig. 12.11 : A chain of volcanoes is formed by an oceanic plate moving over a hot spot. (—after A.N. Strahler)
- Fig. 12.12 : Life cycle of a hot spot volcano
- Fig. 12.13 : Hawaiian Sea mount chain in the Pacific ocean basin
- Fig. 12.14 : Origin of earthquake and seismic waves
- Fig. 12.15 : Major Earthquakes belts in the World
- Fig. 12.16 : Earthquake Zones of India
- Fig. 12.17 : Generation of Tsunami waves
- Fig. 13.1 : Types of mountains

- Fig. 13.2 : Different stages in the formation of the Alps according to Argand F-Foreland, H-Hinterland, PA-Pre-Alps, 1 Dent Banche nappe, 1a Monte Rosa nappe, 2. Great St. Bernard nappe, 2a Simplon nappe
- Fig. 13.3 : Typical orogen according to Kober
- Fig. 13.4 : The median mass of Tibet between the Kunlun and the Himalayas mountains
- Fig. 13.5 : Process of mountain building according to Daly
- Fig. 13.6 : Formation of oceans and geosynclines according to convection current theory of Holmes. Oceans are formed at the place of divergence of currents, while geosynclines are formed where continental convective currents meet the oceanic convection currents and then descend downwards
- Fig. 13.7 : Three different stages of the convection currents and mountain building
- Fig. 13.8 : Continent-Continent collision producing Himalayas
- Fig. 13.9 : Continent-Ocean collision and formation of mountains
- Fig. 13.10 : Ocean-ocean collision and complex orogenesis
- Fig. 13.11 : Continent-Arc collision
- Fig. 14.1 : Processes of Physical Weathering
- Fig. 14.2 : Hydration
- Fig. 14.3 : Spheroidal weathering
- Fig. 14.4 : Production of regolith and soil
- Fig. 14.5 : (a) Different types of mass movements
- Fig. 14.5 : (b) Different types of mass movement
- Fig. 15.1 : Slope description : (i) parts of a slope, (ii) segments of a slope
- Fig. 15.2 : Slope elements
- Fig. 15.3 : Different forms of composite slopes
- Fig. 15.4 : Landforms on layered sedimentary rocks
- Fig. 15.5 : Relationship between soil creep and development of convex slope (—after G.K. Gilbert (1909) in R.J. Small, 1970)
- Fig. 15.6 : Development of convexo-concave slope by rain wash erosion at the hill top and deposition at the slope base (—after Lawson (1932) in R.J. Small, 1970).
- Fig. 15.7 : Development of slopes A—according to Davis, B—according to Penck
- Fig. 15.8 : Three hypothesis of slope evolution- A—Slope decline, B—Slope replacement, C—Parallel retreat in hill slope with scarps or free face, D—Parallel retreat without free face (—after A. Young, 1972).
- Fig. 15.9 : Sequential stages of slope evolution according to W.M. Davis
- Fig. 15.10 : Sequential stages of evolution of valley side slope according to W.M. Davis. (—after R.J. Rice, 1977)
- Fig. 15.11 : Parallel retreat and slope replacement model of Penck (in R.J. Small, 1970)
- Fig. 15.12 : Penck's model of slope development : A—Concave slope form due to decelerating rate of stream erosion, B—Constant or rectilinear slope due to constant rate of erosion, C—Convex slope due to accelerating rate of erosion, A-E = successive river position
- Fig. 15.13 : Slope development according to A. Wood (in R.J. Small, 1970)
- Fig. 15.14 : Components of a standard hill slope (—after L.C. King)
- Fig. 15.15 : Pediplanation cycle and hill slope evolution according to L.C. King
- Fig. 15.16 : Cliff slope development according to R.A. Savigear (1952)

- Fig. 15.17 : Slope development according to O. Lehmann. Parallel retreat of free face I, II, III— successive recessions of free face; B—Cliff angle; Scree angle; FABCH—rock core. (Source : A. Young, 1972).
- Fig. 15.18 : A model of cliff recession and slope development according to O. Fisher (Source : R.J. Rice, 1977)
- Fig. 15.19 : Process response model of A. Young (1963, 1972)
- Fig. 16.1 : Stages of river cycle : 1. Early youthful stage; 2. Youthful stage, 3. Early maturity, 4. Maturity, 5. Old stage.
- Fig. 16.2 : Stages of Normal cycle of Erosion : 1. Initial stage, 2. Early youth, 3. Late youth, 4. Early maturity, 5. Maturity, 6. Old stage.
- Fig. 16.3 : (a) Diagram of a two cycle valley showing a nick point that marks the head of valley rejuvenation (b) Valley in valley, (c) Paired and unpaired terraces. (—after W.D. Thornbury, 1969)
- Fig. 16.4 : Development of Incised Meanders
- Fig. 16.5 : Knick Point formation
- Fig. 16.6 : Interlocking spurs and benches
- Fig. 17.1 : Cycle of Pediplanation A—Youth, B—Maturity, C—Old age
- Fig. 17.2 : Differences in the origin of A—Peneplain, B—Panplain, C—Pediplain. (—after W.J. Wayne)
- Fig. 18.1 : Development of master consequent and subsequent streams over a coastal plain
- Fig. 18.2 : Stages of the development of antecedent stream
- Fig. 18.3 : Stages in the development of superimposed drainage system
- Fig. 18.4 : Basic drainage patterns (—after Howard, 1967)
- Fig. 18.5 : Modified basic drainage patterns (—after Howard, 1967)
- Fig. 18.6 : Other modified basic drainage patterns (A) (D) complex, compound and palimpsest patterns (E) (H) are combinations or super position of basic or modified basic patterns. (—after Howard, 1967)
- Fig. 18.7 : Stages of the capture of the Saraswati river through headward erosion
- Fig. 18.8 : River capture of a consequent stream by a subsequent stream
- Fig. 19.1 : Drainage basin hydrological cycle (-after D.E. Walling, 1981)
- Fig. 19.2 : A = Components of drainage basin; L<sub>g</sub> = Length of over land flow; L = Length of master stream; Lea = distance from the mouth of the river to the centre of gravity of the basin-Lea = 0.5L; Lo = Longest horizontal and straight distance from the mouth of the main river to the most distant point on the basin perimeter. B= Channel sinuosity. (—after R.J. Chorley)
- Fig. 19.3 : Stream ordering
- Fig. 20.1 : Longitudinal profile of a river : graded curve, and profile of equilibrium
- Fig. 21.1 : Channel form (—after M. Morisawa, 1985)
- Fig. 21.2 : Different channel shapes. A-channel width, channel depth, wetted perimeter; B; C-relationships between discharge and channel width, D-Meander properties. (—after M. Morisawa, 1985)
- Fig. 21.3 : Sequence of pools and riffles in river channel. (—after Morisawa)
- Fig. 21.4 : Channel depth at pools and riffles at low and high stages of gauge levels. (—after Morisawa, 1985)
- Fig. 21.5 : Five stage model of pool and riffle development (—after Keller, 1972)

- Fig. 21.6 : Types of temporal channel changes. A—transverse bar shift, B—alternate bar shift C—neck cut-off, D—chute cut off, E—meander shift, F—avulsion (rapid channel diversion). (—after Shen and Schumm, 1981)
- Fig. 21.7 : Channel braiding : A—Channel orders; B—bar orders (—after A. Rochoki, 1981)
- Fig. 21.8 : Types of alluvial channel patterns- A—straight, B—sinuous, C—meandering, D—braided, E—anastomosing (—after M. Morisawa (1985) and A.D. Miall, 1978)
- Fig. 21.9 : Stages of development of meander reaches (—after K.S. Richards, 1982)
- Fig. 22.1 : Load transport by a river
- Fig. 22.2 : Formation of pot holes
- Fig. 22.3 : Formation of a Caprock fall
- Fig. 22.5 : Formation of water falls due to (1) faults, (2) upliftment and (3) cliffed coasts.
- Fig. 22.4 : Formation of a barrier fall
- Fig. 22.6 : Formation of waterfalls due to (1) hanging valley, (2) lava dam, and (3) glacial hanging valley
- Fig. 22.7 : Formation of rapids
- Fig. 22.9 : Structural benches
- Fig. 22.8 : Interlocking spurs
- Fig. 22.10 : A—Flood plain, B—paired terraces, C—Non-paired terraces
- Fig. 22.11 : Components of a meander loop
- Fig. 22.12 : Meander types : 1,2—Wavy, 3—horse-shoe, 4—Ox-bow
- Fig. 22.13 : Meanders, cut off, and ox-bow lake
- Fig. 22.14 : Incised Meanders
- Fig. 22.15 : A—Alluvial fans, B—Alluvial cones
- Fig. 22.16 : Typical section across major rivers in the middle Ganga Plain
- Fig. 22.17 : Flood Plain
- Fig. 22.18 : Formation of natural levees
- Fig. 22.19 : Structure of a delta
- Fig. 22.20 : Stages in the growth of a delta
- Fig. 22.21 : Different types of delta
- Fig. 23.1 : Zones of groundwater
- Fig. 23.2 : Ground water in horizontal strata
- Fig. 23.3 : Artesian well
- Fig. 23.4 : Spring formation
- Fig. 23.5 : Distribution of Karst landscapes world wide
- Fig. 23.6 : Lapies
- Fig. 23.7 : Five major classes of dolines
- Fig. 23.8 : Some basic types of polje (—after Ford and Williams, 1989)
- Fig. 23.9 : Stages in the evolution of Natural Tunnel (—after H.P. Woodward, 1936)
- Fig. 23.10 : Stages in the development of Natural Bridge, Virginia (—after Malott and Shrock, 1930)
- Fig. 23.11 : Formation of mogotes
- Fig. 23.12 : Features of Cave deposits.
- Fig. 23.13 : Development of karst cycle of erosion (—after A.K. Lobeck)
- Fig. 24.1 : Arid and semi-arid regions of the World (—after G.T. Trewartha, 1954)

- Fig. 24.2 : Mountain desert landforms
- Fig. 24.3 : Formation of pediment according to D.W. Johnson
- Fig. 24.4 : Hypothesis of a “double surface of levelling in tropical savanna” A—Wash plains of seasonal flooding above the weathering front. B—Wash plains is lowered by rejuvenation or climatic change. Inselbergs and marginal pediments are exhumed or regraded to the lowered washplain (—after Budel, 1957)
- Fig. 24.5 : Stages of cycle of erosion in arid regions- (1) Initial stage, (2) Youth, (3) Maturity, and (4) Old stage.
- Fig. 24.6 : Formation of dome-on-dome inselbergs (—after J.C. Pugh, 1966)
- Fig. 24.7 : Transportation of sediment by wind
- Fig. 24.8 : Formation of deflation hollows
- Fig. 24.9 : Formation of Ventifacts or Dreikanter
- Fig. 24.10 : Mushroom rock (Rock Pedestal)
- Fig. 24.11 : Formation of Yardang
- Fig. 24.12 : Formation of Zeugen
- Fig. 24.13 : Development of ripples on sand
- Fig. 24.14 : Formation of sand ridges
- Fig. 24.15 : Formation of a dune
- Fig. 24.16 : Major classes of dunes—Barchan, Transverse, Parabolic, Barchanoid ridge
- Fig. 24.17 : Major classes of dune forms : Longitudinal, Star, Dome, Reversing
- Fig. 24.18 : World distribution of active and stable sand regions
- Fig. 24.19 : World wide Loess deposits
- Fig. 25.1 : Distribution of permafrost in the Northern Hemisphere (—after Anisimov and Nelson, 1998)
- Fig. 25.2 : Typical temperature regime in permafrost (—after French, 1996)
- Fig. 25.3 : Schematic evolution of an ice wedge according to the contraction—crack theory (—after Lachensbruck, 1962)
- Fig. 25.4 : Altiplanation terrace
- Fig. 25.5 : Periglacial rock stream in A—cross profile, B—long profile
- Fig. 25.6 : Sorted stone polygons and stone stripes
- Fig. 25.7 : Development of stone polygons by frost heaving (—after R.J. Small, 1970)
- Fig. 25.8 : Formation and development of Pingo (—after R.J. Small, 1970)
- Fig. 25.9 : Development of thermo karst features (1 to 4)
- Fig. 25.9 : Development of thermo karst features (5 &6)
- Fig. 25.10 : Stages in the formation of an alas depression
- Fig. 25.11 : Periglacial cycle of erosion according to Peltier (in R.J. Small, 1970)
- Fig. 26.1 : Transformation of snow into ice
- Fig. 26.2 : Matter and energy flow in an alpine glacier system (—after A.N. Strahler, 1997)
- Fig. 26.3 : Glacial erosion
- Fig. 26.4 : The process of plucking
- Fig. 26.5 : Small scale features produced by glacial erosion
- Fig. 26.6 : The nivation hollow developing into thermo cirques and a terrace
- Fig. 26.7 : Formation of Protalus Rampart

- Fig. 26.8 : Cross section across a cirque
- Fig. 26.9 : Characteristic features of glacial erosion
- Fig. 26.10 : Development of a glacial trough
- Fig. 26.11 : Glacial valleys and associated features
- Fig. 26.12 : Features of longitudinal profile of glacier
- Fig. 26.13 : (a) Formation of fiords
- Fig. 26.13 : (b) Fiords of Norway
- Fig. 26.14 : Structural control over Roches Moutonnees formation
- Fig. 26.15 : Direction of ice flow (a) roche moutonnee, (b) crag and tail
- Fig. 26.16 : Processes of glacial transportation
- Fig. 26.17 : Glacial till
- Fig. 26.18 : A—Different types of moraines, B—Formation of terminal moraine
- Fig. 26.19 : Formation of moraines : (a) De Geer moraine, (b) Rogen moraine
- Fig. 26.20 : Drumlins and their form
- Fig. 26.21 : Ice contact fluvio-glacial landforms
- Fig. 26.22 : Formation of eskers
- Fig. 26.23 : Formation of a Kame terrace
- Fig. 26.24 : Formation of a kettle
- Fig. 26.25 : Marginal landforms of continental glaciers
- Fig. 27.1 : The Littoral zone
- Fig. 27.2 : Wave anatomy
- Fig. 27.3 : Wind waves approaching shore
- Fig. 27.4 : Types of breaker
- Fig. 27.5 : Refraction of waves
- Fig. 27.6 : Orthogonals
- Fig. 27.7 : Longshore drift and longshore current
- Fig. 27.8 : Rip currents
- Fig. 27.9 : Sea cliff
- Fig. 27.10 : Types of cliffs (—after A. Guilcher, 1958)
- Fig. 27.11 : Some controls on the forms of cliffs
- Fig. 27.12 : Wave cut and wave built platforms
- Fig. 27.13 : Formation of blow hole
- Fig. 27.14 : Formation of a cave, arch and stack
- Fig. 27.15 : Idealised profile across beach
- Fig. 27.16 : Beach cusps
- Fig. 27.17 : Formation of raised beach by fall in sea level
- Fig. 27.18 : Formation of an offshore bar
- Fig. 27.19 : Formation of barrier beaches
- Fig. 27.20 : Formation of Barrier island by tidal inlets formation. A—Sediment moving along the shore deposited as a spit in the deeper water near a bay; B—The spit grows parallel to the shore by longshore drift; C—Tidal inlets cut the spit which is long enough to be considered a barrier island
- Fig. 27.21 : Cross section through a barrier island

- Fig. 27.22 : Salt marsh and mangrove  
Fig. 27.23 : Nehrung and Huffs  
Fig. 27.24 : Formation of hooked spit  
Fig. 27.25 : Formation of Hook, connecting bar, Bay bar and Tombolo  
Fig. 27.26 : Common depositional shore features along a stretch of coast  
Fig. 27.27 : Types of shorelines : (1) Ria coast, (2) Fiord coast, (3) Coastal plain coast, (4) Deltaic coast (neutral shoreline), (5) Alluvial plain shoreline, (6) Volcanic shoreline, (7) Fault shoreline, (8) Composite shoreline (submergence followed by emergence), (9) Composite shoreline (emergence followed by submergence)  
Fig. 27.28 : Stages of marine cycle of erosion along the shoreline of submergence  
Fig. 27.29 : Stages of marine cycle on the shoreline of emergence  
Fig. 28.1 : Structure of the Himalayas  
Fig. 28.2 : Absolute relief of the Kumaun Himalayas  
Fig. 28.3 : Physiographic regions of the Kumaun Himalayas  
Fig. 28.4 : Drainage system of Kumaun Himalayas  
Fig. 28.5 : Basement structure of the Ganga plains  
Fig. 28.6 : Indo Gangetic trough  
Fig. 28.7 : Geology of the Chhotanagpur plateau  
Fig. 28.8 : Relief of the Chhotanagpur plateau  
Fig. 28.9 : Drainage of the Chhotanagpur plateau  
Fig. 28.10 : Physiographic regions of Chhotanagpur  
Fig. 29.1 : Man and Coastal Processes
-